



STOVE BEAMS & SHELVES

CONTENT

SOLID TIMBER OR NON-COMBUSTIBLE **CAST BEAMS & SURROUNDS**

Our focus is on providing you with a visually stunning product to accompany your stove

For over 35 years Focus Fireplaces has been at the forefront of design, innovation and manufacture within the fireplace industry. Our Mantel beams and associated products for stove installations are manufactured in the UK using premium, responsibly sourced timbers and materials in a purpose-built factory in York.

Our experienced and highly skilled team are dedicated to the delivery of excellence; from the finest quality products to the best possible customer service, we take pride in maintaining our market-leading reputation.

We have a policy of only selling our fireplace products through appointed retailers, installers and tradespeople to ensure that customers receive the best possible service, advice and technical assistance.

Visit our website www.focusfireplaces.co.uk to explore our full range of Fire Surrounds, Stove Surrounds, Mantel Beams and Electric Suites.

CONTENTS

$\mathbf{02}$ 01 FOCUSCAST SOLID OAK COLLECTION BEAM COLLECTION 04 Why FocusCast 14 Why Solid Oak 06 The Character Range 08 The Smooth Range 10 The York & Jorvik Range 12 The Vintage Range 19 Solid Oak Shelves 13 The Portland Stone Beam 20 Stove Surrounds 13 The Riva Decorative Beam 21 Corbels & Shelves



Proud to design and manufacture in Great Britain



ACCESSORIES

- 16 Solid Oak Deep Beams
- 17 Solid Oak Large Beams
- 18 Solid Oak Fascia Beams
- 22 Accessories
- 23 Beam Covers

NON-COMBUSTIBLE CAST BEAMS

Introducing FocusCast THIS IS NOT WOOD...

5 BEAM SIZES Upto 5 length options available (dependant on style/design)

51"

1295mm

SMOOTH

54" 1371mm

6 RANGES

CHARACTER

48″ 1220mm



MANTLE BEAMS



Above FocusCast Vintage shelf in a Honey Oak Finish

STOVE SURROUNDS




Above FocusCast Grantham in a Weathered Oak Finish

FocusCast Mantel Beams and Stove Surrounds are moulded from timber and stone beams using a high-density mineral composite material that can endure extreme exposure to heat and flames and will not ignite. This fire-resistance allows the FocusCast products to be positioned closer to a stove than a timber beam.

Highly realistic and featuring the qualities of real timber and stone beams, the FocusCast collection is hand-painted by our team of experts using a water-based paint system.

4







REALISTIC DETAIL





INSTALL

FEATURE LIGHTING







MID OAK



YORK

PALE OAK

DARK OAK

WEATHERED OAK







Above FocusCast Deep Beam in a Honey Oak Finish

VINTAGE

STONE

RIVA









HONEY OAK

SPECIAL COLOURS



PORTLAND STONE




COLOUR MATCH PAINT

FOCUSCAST NON-COMBUSTIBLE THE CHARACTER RANGE

With distressed edges and a textured surface displaying the cracks, deep grain and knots of a characterful oak beam

DEEP BEAM



STANDARD FASCIA BEAM



250mm above the stove on a 5kw stove and 350mm on a 7kw stove.





PALE OAK

DARK OAK

MID OAK


WEATHERED OAK

HONEY OAK

FOCUSCAST NON-COMBUSTIBLE THE SMOOTH RANGE

Smooth straight edges and fine grain marks provide a modern aesthetic to the range of beams and surrounds.

DEEP BEAM



STANDARD FASCIA BEAM



AVAILABLE COLOURS









HONEY OAK

Minimum clearances for non-combustible surrounds and beams: 250mm above the stove on a 5kw stove and 350mm on a 7kw stove.








ABOVE FocusCast Deep Beam in a Smooth Pale Oak Finish

BARLBY STOVE SURROUND

A Available with 54", 51", 48", 42" top beam

Left FocusCast Barlby in a Smooth Pale Oak Finish











AVAILABLE COLOURS





PALE OAK









BURNT OAK

WEATHERED OAK



HONEY OAK





JORVIK STOVE SURROUND

A Available with 54", 48" top beam

The length of the Jorvik legs can be specified at the time of order (up to 40" max).

ABOVE FocusCast Jorvik Surround in a Honey Oak Finish

FOCUSCAST NON-COMBUSTIBLE THE YORK BEAM & JORVIK SURROUND

An historic rafter has been utilised to craft an amazing large fascia beam and surround with incredibly detailed unique features.

YORK LARGE FASCIA BEAM

Above FocusCast York beam in a Honey Oak Finish - 48"



Minimum clearances for non-combustible surrounds and beams: 250mm above the stove on a 5kw stove and 350mm on a 7kw stove. FOCUSCAST NON-COMBUSTIBLE **THE VINTAGE RANGE**

Moulded from an authentic beam with real heritage, the Vintage beam and shelf are highly realistic.

VINTAGE BEAM




Minimum clearances for non-combustible surrounds and beams: 250mm above the stove on a 5kw stove and 350mm on a 7kw stove.

FOCUSCAST NON-COMBUSTIBLE THE PORTLAND STONE BEAM





THE RIVA DECORATIVE BEAM





12

Moulded from a genuine stone beam for an authentic apperance.

A new decorative beam that features fine timber detailing in a stylised ribbed design.



Above & Left FocusCast Riva finished in a Parchment paint

> Riva can be finished in bespoke paints to match your decor or any of the Oak colours.





The beauty of SOLID OAK

The majesty of a solid oak beam above a roaring stove is an image that many of us visualise when we imagine a warm, cosy room.

With unique natural features, each beam and shelf is truly one of a kind and can be shaped and coloured to suit your own personal tastes. We only use Sustainably sourced timber which is dried in the best possible way to provide the greatest stability in use.

ANY SIZES UP TO 3M



48"

1220mm

42" 1067mm

42", 48" and 54" are standard sizes, but Beams and Shelves can be supplied at any length upto 3m

7 COLOURS



NATURAL WAXED OAK

OPTIONS




LIGHT/ MEDIUM OAK

OAK

54"

1371mm







SILVERED OAK





ADD DOWNLIGHTS (OPTION on hollow beams & shelves)

PROFILES TO CHOOSE FROM

Not available in Prime Timber DEEP BEAM 51/2 x 51/2" 140 x 140mm



HOLLOW DEEP BEAM 51⁄2 x 51⁄2" 140 x 140mm



Not available in Prime Timber **GREAT BEAM** 7½ x 5½″ 190 x 140mm





LARGE HOLLOW BEAM 9 x 7″ 229 x 140mm



HOLLOW BEAM 7 x 4" 178 x 102mm





140 x 70mm MEDIUM **FASCIA BEAM** 5½ x 3½ '

STANDARD

51/2 x 23/4"

140 x 89mm

FASCIA BEAM



LARGE **FASCIA BEAM** 71⁄2 x 23⁄4" 190 x 70mm

STANDARD SHELF 2³/₄ x 5¹/₂" 140 x 70mm

LARGE SHELF

GREAT SHELF

2³/₄ x 7¹/₂"

5½ x 7½" 70 x 190mm Not available in Prime Timb

4 x 7"

102 x 178mm

140 x 190mm













ADD PEGS



(OPTION)



ADD INDENTS (OPTION)



SLOW ARCH (OPTION on standard & large fascia beams)



(SEE P22)



SURFACE TEXTURE & AGEING

ROUND EDGE Round edges. Smooth surface

RUSTIC Nibbled edges. Smooth surface

DRESSED Heavily contoured. Smooth surface

AGED Distressed edges. Textured surface

EXTREMELY AGED Distressed edges and faces. Textured surface

ANCIENT Looks very old

PRIME

Prime timber is an option on all products except Great Beams, **Great Shelves and** Deep Beams. It is normally supplied with round edges.



There are Regulations that specify the minimum distance that a beam /shelf must be above the stove. These measurements vary depending on the type and heat output of the selected stove. Please refer to your stockist/installer for further information.



SOLID OAK DEEP BEAMS

2 PROFILES

Deep Beam




A - 5¹/₂ (140 mm) **B** - 5¹/₂ (140 mm)

Deep Beams are cut from the heart of the oak log and therefore reveal lots of character including knots, splits and shakes. Every beam is unique. Skillful workmanship further enhances the beam with progressive levels of ageing (Round Edge, Rustic, Dressed, Aged, Extremely Aged or even Ancient). Each beam is then beautifully finished with your choice of colour.

Deep Beams are not available in Prime Timber

Hollow Deep Beam




B - 5½ (140mm)


Hollow Beams are fabricated to give the appearance of a Solid Beam. Their lighter construction is ideal where weight is an issue. They can be made to any sizeup to 3m. Hollow Beams are not available as Dressed, Extremely Aged or Ancient Oak.

BELOW

Deep Beam: Ancient Oak in a Light/Medium Finish







SURFACE TEXTURE & AGEING



ROUND EDGE Round edges. Smooth surface



RUSTIC Nibbled edges. Smooth surface



DRESSED Heavily contoured. Smooth surface





EXTREMELY AGED Distressed edges and faces. Textured surface



ANCIENT Looks very old




PRIME Prime timber is an option on all products except Great Beams, Great Shelves and Deep Beams. It is normally supplied with round edges.

SOLID OAK LARGE BEAMS


3 PROFILES

Great Beam




Great Beams are cut from the heart of the oak log and therefore reveal lots of character including knots, splits and shakes. Every beam is unique. Skilful workmanship further enhances the beam with progressive levels of ageing (Round Edge, Rustic, Dressed, Aged, Extremely Aged or even Ancient). Each beam is then beautifully finished with your choice of colour.

Great Beams are not available in Prime Timber





Hollow Beam



Hollow Beams are fabricated to give the appearance of a Solid Beam. Their lighter construction is ideal where weight is an issue. They can be made to any sizeup to 3m. Hollow Beams are not available as Dressed, Extremely Aged or Ancient Oak.



B







LIGHT/MEDIUM OAK



MEDIUM OAK



MEDIUM/DARK OAK



EBONY ON OAK




SILVERED OAK



WARM ANTIQUE

EASY-FIX



Once the beam is in place, it is easily secured from underneath with a few turns of an Allen Key.





SOLID OAK FASCIA BEAMS

3 PROFILES

Standard **Fascia Beam**

A - 5½ (140mm) х **B** - 2¾ (70mm)

Standard Fascia are cut from the heart of the oak log and therefore reveal lots of character including knots, splits and shakes. Every beam is unique. Skillful workmanship further enhances the beam with progressive levels of ageing (Round Edge, Rustic, Dressed, Aged, Extremely Aged or even Ancient). Each beam is then beautifully finished with your choice of colour.


Deep Beams are not available in Prime Timber


Medium Fascia Beam


A - 5½ (140mm) х **B** - 3¹/₂ (89mm)

Large Fascia Beam

A - 7¹/₂ (140 mm) х **B** - 2³/₄ (140 mm)







SURFACE TEXTURE & AGEING



Round edges. Smooth surface



RUSTIC Nibbled edges. Smooth surface



DRESSED Heavily contoured. Smooth surface



AGED Distressed edges. Textured surface



EXTREMELY AGED Distressed edges and faces. Textured surface



ANCIENT Looks very old




PRIME Prime timber is an option on all products except Great Beams, Great Shelves and Deep Beams. It is normally supplied with round edges.

SOLID OAK SHELVES

4 PROFILES

Standard Shelf


A - 2³/₄ (70mm) х **B** - 5¹/₂ (140mm)




Large Shelf

х





Great Shelf




A - 5¹/₂ (140mm) **B** - 7½ (190mm)



Not available in Prime Timber

Hollow Shelf





SHELVES SOLID OAK



NATURAL WAXED OAK



LIGHT/MEDIUM OAK



MEDIUM OAK



MEDIUM/DARK OAK



EBONY ON OAK



SILVERED OAK



WARM ANTIQUE

EASY-FIX

The Focus Easy-fix system is a substantial bracket designed to simplify the fitting of the heavier beams and shelves. It comes supplied with plugs and screws.

Once the beam is in place, it is easily secured from underneath with a few turns of an Allen Key.

SOLID OAK & PAINTED STOVE SURROUNDS





















FOCUS

FIRE SURROUNDS, STOVE SURRA & ELECTRIC SUITES

We also have a full range of Fire Surrounds, Stove Surrounds and Electric Suites ask your retailer / stockist for a copy of our latest brochure.



Fluted





Infinity



Corby Shelf: Antique White with Prime Oak Mantel in a Natural Waxed Finish



Canterbury Shelf: Waxed Oak

These attractive shelves will enhance any stove installation and can be ordered in a wide variety of timbers and finishes. As every one is handmade they can be manufactured to your specific size and colour



Choose from Five diffrent styles to complement your solid oak beam



Traditional

SOLID OAK SHELVES **SHELVES**



Plain Corbel Shelf: Standard Waxed Pine



Mallaig Shelf: Waxed Oak

FIXING SYSTEMS

FOCUS EASY-FIX



Nothing can be easier than an Easy-fix!!

The Focus Easy-fix system is a substantial bracket designed to simplify the fitting of the heavier beams and shelves. It comes supplied with plugs and screws.

Once the beam is in place, it is easily secured from underneath with a few turns of an Allen Key.

If the Easy-fix system is not specified: we supply three M10 x 300mm threaded metal bars that screw into pre-drilled holes in the back of the beam. Consult with your Installer for more information.



Focus Easy-fix Brackets - 950mm



FIXING SYSTEMS FOR FASCIA **BEAMS & PANELS**



Fascia Beams and Fascia Panels are supplied with two metal plate keyholes inserted in the back. These come complete with plugs and screws



Alternatively there is an 850mm Easyfix system designed for Fascia Beams. (We recommend discussing fixings with your installer).

HEAT SHIELDS FOR SOLID OAK DEEP **BEAMS & GREAT BEAMS**



36 x 4" & 36 x 6"



DECORATIVE **CORNER TRIMS**



A neat, effective way to make a clean edge to your chamber

AVAILABLE LENGTH: 40" x 2" x 2"

SOLID OAK **BEAM COVERS**



LOG CABINET



All Oak or Steel Grey with a Light Oak Top

Above Beam Cover and Spars in Rustic Oak in a Light/Medium Finish

Create a superb ambience in your room with our authentic timber beams.

They are ideal where a steel beam needs to be covered as they can be made to almost any length and dimension and finished to match your fireplace.





FOCUS FIREPLACES LIMITED

Unit 27 The Bull Commercial Centre, Stockton-on-Forest, York YO32 9LE Tel: 01904 400109 email: sales@focusfireplaces.co.uk www.focusfireplaces.co.uk



Focus Fireplaces are continually updating and improving their products. We reserve the right to alter designs, dimensions and specifications of our products without notice.

All sizes are approximate. Brochure colours may vary from the actual product due to the photographic and printing processes and the variations in finishing.

© Focus Fireplaces Manufacturing 2024 - Issue 0124